

mdadm

blkidex:blkid /dev/sda

```
mdadm --detail --scan >> /etc/mdadm.conf
```

Raidmdadm.conf

```
mdadm /dev/md10 --fail
```

mdadm) ---

```
mdadm --manage /dev/md1 --remove
```

mdadm---mdadm

```
mdadm --manage /dev/md1 --add
```

(mdadm ---

mdadmRaid

```
mdadm --stop /dev/md0
```

---Raid

```
mdadm --assemble --force /dev/md0
```

(Raid)

```
update-initramfs -u
```

Raid

```
mdadm --create --verbose /dev/md0 --level=(raid) --raid-devices=() --spare-devices=() 
```

```
mdadm --grow --size=max /dev/md1
```

```
resize2fs /dev/md0 -p
```

```
resize2fs [ ](xfs [ ]xfs_growfs)
```

```
cat /proc/mdstat
```

□□□raid□□

```
mdadm --examine [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]
```

RAID

[illegible]1.

--	--	--	--	--	--	--

```
mdadm --manage /dev/md1 --add ([ ])
```

```
2. Raid(Raid1->Raid5)
```

```
mdadm --grow /dev/md1 --level=5 --raid-devices=3
```

3.

--	--	--	--	--	--	--

```
mdadm --grow --size=max /dev/md1
```

$$(\square \square \square \square \square)$$

```
resize2fs /dev/md0 -p
```

```
resize2fs  (xfs  xfs_growfs)
```

```
update-initramfs -u
```

Raid

Revision #2

Created 19 September 2024 23:51:10 by Ron

Updated 12 March 2025 03:02:57 by Ron