

# monit

## monitrc

/etc/monit/monitrc

#####

```
set daemon 60
```

## log

```
set log /data/monit/logs
```

## web

```
set httpd port 2812 and
  use address 202.107.204.55
# only accept connection from localhost (drop if you use M/Monit)
  allow 0.0.0.0/0.0.0.0
# allow localhost to connect to the server and
  allow admin:monit
# require user 'admin' with password 'monit'
```

## mount

```
# mount.conf
check filesystem data with path /dev/sdb
  if does not exist then exec "/bin/mount /dev/sdb /data"
```

[python server.py] [#####]

```
# recommender.conf
check process recommender with MATCHING "python server.py"
  if does not exist then exec "/usr/bin/nohup python /data/Recommender/src_tornado/server/server.py &" 
    if changed pid then alert
```

## monit

```
monit -t # 重新启动  
monit # 启动 monit 守护进程  
monit -c /var/monit/monitrc # 检查 monit 守护进程状态  
monit reload # 重新加载配置  
monit status # 显示所有服务状态  
monit status nginx # 显示 nginx 服务状态  
monit stop all # 停止所有服务  
monit stop nginx # 停止 nginx 服务  
monit start all # 启动所有服务  
monit start nginx # 启动 nginx 服务  
monit -V # 显示版本信息
```

## 配置文件

```
set mailserver smtp.monit.ro port 587  
set mail-format { from: monit@monit.ro subject: $SERVICE $EVENT at $DATE on $HOST  
message: Monit $ACTION $SERVICE $EVENT at $DATE on $HOST : $DESCRIPTION.  
Yours sincerely,  
Monit  
}
```

```
set alert guletz@monit.ro
```

```
set mailserver smtp.gmail.com port 587  
username "username" password "password"  
using tls
```

```
set mail-format {  
from: Monit Alert <monit@$HOST>  
subject: 服务状态 -- $EVENT $SERVICE  
message: $SERVICE => $EVENT  
$DATE  
$ACTION  
$HOST  
$DESCRIPTION
```

## 配置文件

```
check system localhost  
if loadavg (1min) > 10 then alert
```

```
if loadavg (5min) > 6 then alert  
if memory usage > 75% then alert  
if cpu usage (user) > 70% then alert  
if cpu usage (system) > 60% then alert  
if cpu usage (wait) > 75% then alert
```

```
check system $HOST  
if loadavg (1min) per core > 2 for 5 cycles then alert  
if loadavg (5min) per core > 1.5 for 10 cycles then alert  
if cpu usage > 75% for 5 cycles then alert  
if memory usage > 80% for 1 cycles then alert
```

## ████hash█

```
check file passwd with path /etc/passwd  
if changed checksum then alert
```

## ███████

```
check file bashrc with path /etc/bash.bashrc  
if changed checksum then alert
```

## ███████████

```
check filesystem root_directory PATH /  
if write rate > 50 MB/s for 10 cycles then alert  
if read rate > 50 MB/s for 10 cycles then alert
```

## ███████████████

```
check network enp3s0 with interface enp3s0  
if download > 20 MB/s for 10 cycles then alert  
if upload > 20 MB/s for 10 cycles then alert
```

Revision #1

Created 26 October 2024 06:15:26 by Ron  
Updated 12 March 2025 03:02:57 by Ron